

Forklift Attachment

Forklift Attachments Florida - Without forklift attachments, many jobs would be difficult, if not impossible. There are numerous forklift attachments that make jobs faster and safer to complete. Forklift operators require training for each attachment they will be using as well as their general forklift training. Many hydraulic and non-hydraulic forklift attachments are available. They offer numerous benefits by decreasing man-power, employee accidents, fuel consumption, damage to stock and time. Equipment Considerations Forklift attachments can be switched out to replace existing attachments or may be used on machines that don't currently have one. Several equipment-related factors must be considered before any forklift attachment is replaced or added. These considerations include: 1. The forklift type; 2. The forklift's capacity; 3. The carriage type; and 4. The number of hydraulic functions. Failing to take these aforementioned factors into consideration can create extra safety hazards and risks for the operator, the forklift, its' attachments and the stock. Further safety factors must also be taken into consideration, which will be discussed in greater detail below. Forklift Rating and Re-Rating Manufacturers give forklifts a lift capacity rating that needs to be considered and adjusted when adding or changing forklift attachments. Online calculators are available from manufacturers of forklift attachment's to provide estimates on every attachments' lifting capacity. It is important to note that only the forklift manufacturer can provide accurate lifting capacities. The first step before installing any attachment is to get in touch with the authorized local forklift dealer to request that that forklift brand is re-rated accordingly with the attachment. After the manufacturer of the forklift has re-rated the forklift, it should have a new factory authorized specification plate. This new specification plate will replace the original plate and should be installed showing the new rating for the forklift. Equipment Upgrades When dealing with forklift attachments it is important to note that a forklift's hydraulic function is made up of a valve on the forklift with a lever located close to the operator which provides two passages of pressurized hydraulic oil to power the attachment features. Hydraulic forklift attachments typically offer numerous features compared to the number of valves on the forklift. Not ever forklift attachment is hydraulic. When this happens, the forklift needs to have one or more valves added. There are several methods of adding a valve. There are many ways to add a forklift valve. Equipment manufacturers make forklift accessories for hose routing and valve placement. Due to the cost of labor and parts required, this process may not be practical. Another possibility is to install a cable reel, solenoid valve and hose to divert oil from an alternate location. Unfortunately, hose and cable reels can sometimes block the operator's view and can be easily damaged. Special hoses and a solenoid valve kit an be used to create an electrical conduit out of the reinforced braid. Since these hoses replace existing forklift hoses, they remain safe from external damage while maintaining clear vision for the operator. Safety Considerations Prior to fitting any type of forklift attachment, proper training must be obtained. The operator needs to be able to remove, fit and operate the attachment. Before using any forklift attachment, two safety issues need consideration. The nominal load rating will be reduced on the forklift once any attachment is applied. Forks and a stock fork carriage compute the nominal load rating; although, the precise load rating may be much lower. Second, the center of gravity will be affected by the use of any forklift attachment. Obviously, the stability of the forklift is reduced. Due to the attachment weight being situated in front of the fulcrum point, the forklift needs to be driven as though it is partially loaded even when it is empty. It is essential that operators travel slowly and make gentle turns when using any kind of forklift attachment. Check the forklift's capacity to ensure that every attachment is listed on the data plate. Specific safety checks must be made prior to using each forklift attachment. The attachment must be: 1. Appropriate for the specific forklift being used; 2. Appropriate for the specific load; 3. Attached correctly; 4. Properly locked; and 5. Permitted on the forklift's data plate. List of Common Forklift Attachments Below is a list of popular forklift attachments and their general uses. This is just a sample list of some of the most popular forklift attachments. As you will see, the large variety of attachments available

have the capacity to greatly increase the efficiency of many jobs. **SIDESHIFTER:** The operator can manipulate the forks laterally with a sideshifter. This allows for easier load placement without having to move the entire forklift. **FORK POSITIONERS:** The fork positioners adjust for different loads by moving the forks together or apart in relation to each other. **DIMENSIONING DEVICES:** Provide dimensions for the cargo allowing for more efficient use of warehouse and truck trailer space and often used in conjunction with billing systems based on volume. **ROTATOR:** Assists in righting skids that have tilted, handling custom load requirements and quick unloading. Numerous attachments have a rotator feature. **ROLL AND BARREL CLAMP:** The roll and barrel clamp allows the forklift to grasp rounded loads including barrels. It is outfitted with different pressure settings to facilitate fragile options and often has a rotate function to simplify horizontal and vertical positioning. **CARTON AND MULTIPURPOSE CLAMP:** The carton and multipurpose clamp has pressure settings and is used for handling more squared shaped loads. It easily masters boxes, bales and cartons. **POLE ATTACHMENTS:** Long, metal pole used in place of forks to lift rolled items such as carpet or linoleum. **SLIP SHEETER OR PUSH-PULL:** Allows operator to transport slip sheets by clamping onto slip sheets, as opposed to pallets, and either pulling the slip sheet onto wide and thin metal forks for loading or pushing the slip sheet to unload. Some variations of the attachment are Save, where the slip sheet is removed for reuse, or Standard. **DRUM HANDLER:** The drum handler is built for holding drums. It may have arms that encompass the drum for transporting or it may feature a spring-loaded jaw to grip the drum's top lip. **DRUM AND STORAGE BIN TIPPER:** The drum and storage bin tipper is designed for easier transport of liquid items or loose materials into bigger containers. **MAN BASKET:** Lift platform meant for lifting workers and complete with railings and brackets for safety harnesses. **TELESCOPIC FORKS:** The telescopic forks are used in locations with a two pallet stacking design where one shelf is placed right behind another with no aisle between them. **SCALES:** Scales are helpful for allowing operators to transport pallets while weighing them. This stops the need for interrupting work with regular travel to the scales. It can be used in legal-for-trade weights for operations that bill by how much items weigh. **SINGLE-DOUBLE FORKS:** The single-double forks can be used alongside regular lifting tasks. It allows a single pallet or platform to move or two pallets beside each other. Additional attachments can be used and this replaces the need for having a separate specialty unit; thus reducing maintenance and operating costs associated with more than one machine. **SNOW PLOW:** Originally designed for snow removal, snow plow attachments can be used to move other loose items. **SKIPS:** Skips enable quick and safe waste removal to a skip or waste compactor. They may feature a bottom-emptying design or be a roll-forward model. **BOOMS AND JIBS:** Allow for extended reach of a forklift to transport suspended loads or loads that are stacked high or deep. They are available in different setups such as reach over and precision lifting or low profile fixed and extendable lengths.